

Telephone
(931) 484-8212

CUMBERLAND COUNTY
DEPARTMENT OF FINANCE
2 North Main Street, Suite 303
Crossville, Tennessee 38555-4583

Facsimile
(931) 484-2570

Jennifer Turner, Director of Finance

REQUEST FOR BID PROPOSALS

Sealed bids for the following item will be received by the Finance Director of Cumberland County until **October 8, 2026 at 2:00 P.M.**, local time, and publicly opened immediately thereafter on the same day:

(3) Ambulance Remounts

Requirements for this procurement are attached.

Any bid received after the stated time, notwithstanding, shall be rejected. Cumberland County reserves the right to accept or reject any and/or all bids and to wave formalities and technicalities insofar as it is legally authorized to do so in the interest of the County.



Jennifer Turner,
Director of Finance

AMBULANCE REMOUNTS

S P E C I F I C A T I O N S

The Government of Cumberland County, Tennessee is requesting bid proposals for three (3) new type III Ambulance Remounts for use by Emergency Medical Services. All bid proposals shall be for new equipment of current production. Used, refurbished or new old stock is not acceptable.

Specifications/Benchmark of Quality

The Cumberland County Emergency Medical Services has evaluated ambulance remounts per the attached specifications and determined them to be "*acceptable*".

The attached specifications are intended to establish a benchmark of quality and are not intended to restrict or eliminate vendors from proposing other brands of equipment. Deviations from these specifications are expected and shall be favorably considered as long as there is no material impact upon the safety, performance, durability and usability of the equipment.

Trade-In Proposals

The County is requesting, but does not require, trade in allowances for the three (3) existing ambulance chassis that are currently in service that will be removed from the ambulance boxes. Bidders are advised that the proposed trade in ambulances are "*as-is, where-is, with all faults*" with no warranty expressed or implied.

Cumberland County has the sole discretion as to whether to accept or reject the proposed trade in allowances offered. Offer acceptance or rejection shall be "all or none" of the units.

Contact Person

The contact person for technical questions regarding this procurement is Chris Miller, Emergency Medical Services Director. Bidders should also schedule an appointment with Director Miller to inspect the proposed trade in ambulances. He may be contacted during regular business hours at (931) 484-1044.

Sealed Bid

Bidder shall use the attached Bid Form to submit bid. Bid package shall include the original bid document and two (2) copies **(three (3) total)** and shall be sealed with the **name, address and telephone number of the vendor on the outside and clearly marked "Sealed Bid – Ambulance Remounts"** and delivered to:

Cumberland County Finance Department
Attn: Jennifer Turner, Finance Director
Courthouse Building
2 North Main Street, Suite 303
Crossville, Tennessee 38555

Bids delivered to any other department or location will not be considered. Cumberland County reserves the right to accept or reject any and/or all bids and to waive formalities and technicalities; insofar as it is legally authorized to do in the interest of the County.

Note: Proposals may NOT be submitted via facsimile, e-mail or other electronic method.

Conflict of Interest: Tennessee Code Annotated 5-21-121 is attached for bidders reference. Any firm, corporation, partnership, association or individual submitting a bid on this procurement affirms that they are in compliance with the State of Tennessee statute.

Investment Activities with Iran: Tennessee Code Annotated 12-12-106 is attached for bidders reference. Any firm, corporation, partnership, association or individual submitting a bid on this procurement must affirm that they are in compliance with the State of Tennessee statute.

Boycott of Israel: The Contractor certifies that it is not currently engaged in, and will not for the duration of the contract engage in, a boycott of Israel as defined by Tenn. Code Ann. § 12-4-119. This provision shall not apply to contracts with a total value of less than two hundred fifty thousand dollars (\$250,000) or to contractors with less than ten (10) employees. Any firm, corporation, partnership, association or individual submitting a bid on this procurement must affirm that they are in compliance with the State of Tennessee statute.

Cumberland County EMS

Crossville, TN

REMOUNT AMBULANCE SPECIFICATION

**EMERGENCY MEDICAL VEHICLE
TYPE III CLASS 2 (4X2) DRW**

TYPE III REMOUNT

**DESIGNED TO MEET OR EXCEED
FEDERAL SPECIFICATION KKK-A-1822E,
AMD Standards 001 - 009**

It is the intent of these specifications, and all requirements listed herein, to obtain bids on vehicles to meet the local needs of Cumberland County, and to obtain bids that may be easily, and completely evaluated on an equal and competitive basis.

Because of the wide variances in types, configurations, options and models available in the industry, the purpose of these specifications is to set a standard by which all proposals received may be evaluated, studied and compared equitably. Vendors are required to return one (1) copy of these specifications, correctly and completely furnishing all information requested and answering all questions attached. Any requested data literature, drawings, etc. and detailed written lists of exceptions taken must also be enclosed.

Since bids from a number of suppliers are anticipated, and Cumberland County cannot be expected to be familiar with all various technical details of all vendor's products, the only adequate method of evaluation will be to compare in this format. Vendors are cautioned that failure to submit proposals in format specified herein, will be grounds to reject vendors proposal and remove bid from consideration.

Any questions for clarifications, etc. should be directed in writing to the above, and responses will be furnished in writing to all prospective vendors.

Considerable time and effort has been invested to design these specifications to the specific needs of Cumberland County EMS. **Therefore, alternate bids will not be considered. No Exceptions to this will be allowed.**

It is further understood that the vehicle described is for use in the provision of emergency services.

BUY AMERICAN

It is the intent of these specifications and requirements listed herein to obtain proposals on vehicles to meet the local needs of the Purchaser that may be easily and completely evaluated on an equal basis. In accordance with “Buy America” programs, proposals will be accepted only from manufacturers that are only 100% wholly owned, financed, and operated by USA based firms.

LEGAL RIGHT TO SPECIFY

The Purchaser chooses to exercise its Legal Right to Specify as determined by the U.S. Supreme Court’s affirmation of the decision handed down in the case of Whitten Corp. Vs Paddock by the U.S. District Court of Massachusetts, the First Federal District Court:

- 1) That as trained professionals, the Purchaser makes informed judgments on products that they feel best serve their needs. Technically, very few brands of material or equipment are exactly alike, and if the specifier wants to limit the specification to one source he has the right to do so and enforce it.
- 2) Only the specifier has the responsibility and judgment for determining whether a proposed substitution is an “or equal”.
- 3) That from start to finish in the purchasing process only the specifier can ultimately decide if another desirable product is available in lieu of the specification.
- 4) Finally, that the courts concluded “the burden is on the supplier or manufacturer, who has NOT been specified, to convince the specifier that their product is equal for the purpose of a particular project”.

The specifier has determined that this product specification shall represent the product to which all offerings shall be compared. Due to the fact that emergency response duties are ULTRAHAZARDOUS, UNAVOIDABLY DANGEROUS activities, only trained personnel with specific knowledge in the area of Emergency Service Equipment shall be allowed to make the final decision on the selection of the appropriate product to best serve Dougherty County.

REMOUNT SPECIFICATIONS EMERGENCY MEDICAL CARE VEHICLE

1.0 Scope, Purpose and Classification

1.1 **Scope:** This specification covers the remounting and refurbishment of a commercially produced, surface medical care vehicle, hereinafter referred to as ambulance or vehicle. A vehicle in compliance with this specification shall be defined as a standard ambulance. This vehicle shall be in accordance with the Ambulance Design Criteria of the National Highway Traffic Administration, U.S. Department of Transportation, Washington D.C. This bid specification is based on the Federal Ambulance Specification KKK-A-1822E.

1.2 **Purpose:** The purpose of this document is to provide minimum specifications and test parameters for the remounting and refurbishment of an emergency medical care vehicle that meets the needs and desires of this agency. It establishes essential criteria for the design, performance, equipment and appearance of the vehicle. The object is to provide a vehicle that is in accordance with nationally recognized guidelines. It is the intent to return the unit to a new or like new condition per the specification.

1.3 **Classifications:** This specification calls for the following type of vehicle. It is in accordance with KKK-A-1822.

Type III – Cutaway Van Chassis with integral modular ambulance body.
Class 2 - Two rear wheel driven (4x2)
Configuration A (ALS) - Elevating cot and squad bench (3.1.5.1)

1.4 **General:** This is an engineer, design, construct and deliver type specification and it is not the intention of this agency to write out vendors of similar or equal equipment of the types specified. It should be noted, however, that this specification is written around specific needs of this agency. With the intent to standardize certain components, therefore, in numerous places we have named specific brands of components. This has been done to establish a certain standard of quality. Other brands will only be accepted providing the vendor provides documentation in the bid that the particular brand offered meets or exceeds the quality of the actual brand called for in the specification.

1.5 **Materials:** The emergency medical care vehicle, chassis, ambulance body, equipment, devices, medical accessories and electronic equipment to be delivered under this contract shall be standard commercial products, which meet or exceed the requirements of this specification. The ambulance shall comply with all Federal Motor Vehicle Safety Standards (FMVSS), the Federal regulations applicable or specified for the year of manufacture. The chassis, components and optional items shall be as represented in the manufacturer's current technical data. Materials used in the construction shall be new and not less than the quality conforming to current engineering and manufacturing practices. Materials shall be free of defects and suitable for service intended.

1.6 **Manufacturing Ability:** It is the intent of these specifications that the Remounter of these vehicles has the ability to remount and refurbish a complete ambulance within their plant facility, except for the chassis. The Ambulance Remounter must have significant experience in the remounting and refurbishment of modular ambulance bodies and performed a minimum of 100 remounts in the last two years. In addition, the Bidder/ manufacturer must include with this bid, proof of \$5,000,000.00 product liability coverage. **NO EXCEPTIONS.**

1.7 **Exceptions to Specifications:** Any exceptions to these specifications indicated must be clearly pointed out. Otherwise, it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a vehicle meeting these specifications. Any exceptions must reference by Paragraph Number and Line and be explained in detail on a separate sheet marked "Exceptions". Any bidder not complying **shall not** be considered as responsive.

1.8 **Prices and Payments:** All bid prices shall be complete and include warranty and delivery of the completed vehicle to this agency.

Payment shall be made in accordance with these specifications and the Bid Proposal submitted by the Bidder. Payment will be made upon acceptance of the vehicle(s) and equipment specified under these

specifications.

All bid prices and conditions must be specified on the Bid Proposal Form. Bid prices shall be valid for at least 30 days from the date of the Bid Opening, or as otherwise specified on the Bid Proposal form.

Full payment will be made as each unit is received, inspected and found to comply with procurement specifications, free of damage and properly invoiced.

Successful vendor shall, at delivery, supply CUMBERLAND COUNTY EMS with MSO's.

Does your bid comply EXACTLY as written? Yes ____ No ____

1.9 **Warranty:** The successful bidder shall provide remounter's warranty coverage for the ambulance or rescue vehicle conversion, which coverage shall, at a minimum include:

- (A) A Limited Warranty shall be provided on the ambulance remount conversion. The remounter shall warrant to the original retail purchaser that, for a period of thirty six (36) months or thirty-six thousand (36,000) miles from the point of delivery, whichever first occurs, the ambulance remount shall be free of substantial defects in remount materials and remount workmanship, which are attributable to Warrantor remount work and which arise during the course of normal use and service. There shall be a copy of the Warranty statement included with the bid documents. NO EXCEPTIONS.

Does your bid comply EXACTLY as written? Yes ____ No ____

(B) There shall be a three (3) year / 36,000 mile warranty on the Ambulance Remount electrical wiring system effective starting the date this agency accepts delivery of the completed vehicle. It is the intent of this requirement that items not manufactured or installed by the ambulance remounter be excluded. There shall be a copy of the Warranty statement included as part of the bid documents. NO EXCEPTIONS.

Does your bid comply EXACTLY as written? Yes ____ No ____

(C) There shall be a three (3) year / 36,000 mileage paint warranty covering the ambulance conversion and any painting done to the chassis. There shall be a copy of the Warranty statement included with the bid. NO EXCEPTIONS.

Does your bid comply EXACTLY as written? Yes ____ No ____

(D) Warranty on the chassis portion of the completed ambulance or rescue vehicle shall be the responsibility of the chassis manufacturer, General Motors Company. The terms of such warranty are set forth in the General Motors Warranty literature included in the owner's manual. The successful manufacturer's sole responsibility with regard to the chassis shall be to provide reasonable assistance to the purchaser in obtaining warranty from the chassis manufacturer or its authorized service center. Bidders failing to meet these requirements shall be considered non-responsive.

1.10 **Anti-Collusion Statement:** By executing and submitting this bid, the Bidder certifies that his Bid is made without reference to any other bid and without any agreement, understanding, collusion or combination with any other person in reference to such bidding.

1.11 **Ambulance Bids and Alternate Bids:** Considerable time and effort has been invested to design these specifications to the specific needs of CUMBERLAND COUNTY EMS. Therefore, alternate bids not exactly to spec will not be considered.

1.12 **Warranty Surety:**

To ensure quality, service, and full compliance to the above warranties the vehicle, with the exception of the chassis, must be constructed by the ambulance manufacturer. Additional elements constructed and installed "in house" are required to ensure service and parts availability. Subcontractors or lease/rental agreements to outside agencies will fail to meet this requirement. NO EXCEPTIONS WILL BE ALLOWED.

- Does the ambulance manufacturer as the prime contractor remount the modular body?

Does your bid comply EXACTLY as written? Yes ____ No ____

- Does the ambulance manufacturer as the prime contractor apply paint?

Does your bid comply EXACTLY as written? Yes ____ No ____

- Are interior cabinets constructed and installed by the ambulance manufacturer as the prime contractor?

Does your bid comply EXACTLY as written? Yes ____ No ____

- Are the wiring harnesses, circuit boards, and O² systems tested by the ambulance manufacturer as the prime contractor?

Does your bid comply EXACTLY as written? Yes ____ No ____

- Is the upholstery for seat cushions, head pads, and backrests assembled and installed by the ambulance manufacturer as the prime contractor?

Does your bid comply EXACTLY as written? Yes ____ No ____

1.13 Delivery:

Since delivery proposals by the bidder will weigh heavily in the determination of the bid award, the delivery schedules that are submitted by the bidders shall automatically become binding upon the successful bidder. Delivery delays due to component supply problems or chassis delivery problems to the manufacturer shall not penalize either the dealer or the manufacturer. Delivery must be within one hundred fifty (120) days from arrival of the chassis from the manufacturer. Delivery mileage in excess of 100 miles shall be by common carrier or rail. ABSOLUTELY NO EXCEPTIONS WILL BE ALLOWED TO THIS SECTION.

Does your bid comply EXACTLY as written? Yes ____ No ____

1.14 Anti-Collusion Statement:

By signing this bid, the bidder agrees that his bid is made without any understanding, agreement, or connection with any other person, firm, or corporation making a bid for the same purpose and that his bid is in all respects fair and without collusion or fraud.

COMPANY NAME: _____

BIDDER SIGNATURE: _____

DATE: _____

1.15 Service and Warranty Repair:

Successful vendor must have a comprehensive ambulance service and repair facility to administrate warranty repair as needed. Vendor must have authorized factory trained service specialists and carry necessary inventory levels to affect prompt repair. NO EXCEPTIONS.

Bidders must list below their service facility and parts department profile to the purchaser.

FACILITY NAME: _____

ADDRESS: _____

PHONE NUMBER: _____

CONTACT NAME: _____

APPROX. MILES FROM PURCHASER: _____

YRS OF EXPERIENCE IN AMBULANCE REPAIR BUSINESS: _____

SQUARE FT. OF FACILITY: _____

NO. OF SERVICE BAYS: _____

NO. OF EMPLOYEES: _____

NO. OF FULL TIME AMBULANCE TECHNICIANS: _____

ARE TECHNICIANS FACTORY TRAINED? _____

TOTAL YEARS SHOP REPAIR EXPERIENCE: _____

VALUE OF SERVICE AND PARTS INVENTORY: _____

24-HR TURN AROUND TIME ON WARRANTY AND SERVICE? _____

NUMBER OF LIFT AREAS FOR SERVICE: _____

CAN SERVICE FACILITY PERFORM REMOUNTS? _____

CAN SERVICE FACILITY PERFORM ALUMINUM MODULE REPAIR? _____

IS FACILITY AND AUTHORIZED PPG COMMERCIAL FLEET PAINT
CENTER AND REPAIR FACILITY? _____

CAN SERVICE FACILITY DO SCOTCHLITE & LETTERING? _____

Does your bid comply EXACTLY as written? Yes _____ No _____

1.16 **Documentation of Remount Facilities:** This agency is very concerned with making bid award to the most qualified remounter. In order to aid our decision, each bidder shall submit with their bid the following documentation:

1. Photographs of physical plant including:
 - a. All bays & interior of remount facilities
 - b. Paint shop
 - c. Paint booth, spray facilities, and mixing room.
 - d. Hydraulic lifts
 - e. Frame machine
 - f. Stocks of remount inventory and remount chassis.
2. Documentation of adequate Workman's Compensation insurance, Product Liability Insurance, and Garage Keepers Liability Insurance.
3. A current copy of their state issued Motor Vehicle Dealers License.

There are no exceptions allowed to this requirement. If requested documentation cannot be submitted with the bid, please do not go any further. You will not qualify to bid.

Does your bid comply EXACTLY as written? Yes _____ No _____

1.17 **Inspection Trip:**

- a. There shall be a pre-build conference held at this agency's facility prior to start of work.
- b. The successful bidder shall provide frequent status updates during construction. Photos showing the progress shall be sent via email.
- c. Upon completion, two (2) Cumberland County EMS representatives will meet at builder's plant for the final inspection and acceptance. Full payment will be made at this time. The successful bidder shall pay all reasonable travel expenses (one-way). Bidders more than 125 miles from Crossville, TN shall provide transportation, at no cost to Cumberland County EMS, via commercial air carrier. Meals, lodging, and fuel shall be included. Bidders shall include the cost of these meetings and travel in with their bid. These items are not to be "optioned" or "line itemed" in the bid.

Does your bid comply EXACTLY as written? Yes _____ No _____ N/A _____

1.18 Cumberland County EMS requires that the ambulance remounter provide "in house" repairs for structural repairs from any outside accidents, as well as warranty items that may arise as the result of the remount work. Service facility shall be within 125 miles of Crossville, TN.

Does your bid comply EXACTLY as written? Yes _____ No _____

1.19 **References**

This agency wishes to do business with an experienced, reliable, and honest ambulance contractor. Contractor will provide a reference list of no less than twenty five (25) customers who have purchased similar remounts. The reference listing shall include the name of service, contact person, and contact information. Furthermore, the list shall include all new ambulance remount sales delivered by the bidding party for the last six (6) months. The customers shall be identifiable in the reference listing as recent remount deliveries. Cumberland County EMS will sample the said references, along with any additional references from various sources, and compile the results. The successful vendor will have a minimum 90% approval rate.



This agency is extremely concerned with awarding to the most qualified bidder. There are NO EXCEPTIONS allowed to this requirement. If you cannot, or choose not to comply, please go any further. You will not qualify to bid.

Does your bid comply EXACTLY as written? Yes _____ No _____

BID AWARD

BID AWARD CRITERIA: The agency is soliciting quality, state-of-the-art, and reliable emergency medical vehicles. Acquisition price shall not be the only or the prevailing factor in deciding the successful bidder.

WARNING:

This agency will not tolerate Vendors who state compliance to specifications but deliver an incomplete product and/or sub-standard materials and workmanship. Vendors who have made delivery of such an ambulance without making every reasonable effort to remedy the defects found at the time of delivery or within the warranty period will be notified that they are **DEBARRED** from submitting bids to this agency in the future. This agency will not waste valuable time (more than once) trying to recover legal costs and deal with lost in-service time of new apparatus, working with vendors who are unresponsive to the needs of this agency.

Does your bid comply EXACTLY as written? Yes _____ No _____

1.20 **Exceptions to Specifications:** Any exceptions to these specifications indicated must be clearly pointed out. Otherwise, it will be considered that items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a vehicle meeting these specifications. Any exceptions must reference by Paragraph Number and Line and be explained in detail on a separate sheet marked "Exceptions". Any bidder not complying shall not be considered as responsive.

Any proposal which indicates "No Exception" to any item on our proposal documents, and also includes a letter from the vendor taking major or total exception to our specifications or indicates they are quoting to provide their standard methods of construction without listing any differences in the manner described, will be immediately rejected as non-compliant and removed from further consideration.

Should a vendor offer a quotation in response to this proposal and not take explicit exceptions and attempt to offer a unit not in compliance with the exact specifications, the Purchaser reserves the sole right to issue a Purchase Order with specified penalties and/or invoke a Performance Bond. Penalties for not providing vehicles(s) to the exact specifications, with approved exceptions or deviations specifically authorized by Purchaser, will be assessed.

2.0 TECHNICAL REQUIREMENTS - CHASSIS

Minimum technical specifications for customer providing all aluminum Type III Ambulance Module and subsequent remount to a 2024 or newer Ford E-450 4X2 DRW Cutaway Chassis. Vehicle must comply with Federal and State laws and regulations and all safety regulations as applicable on date of delivery concerning automotive equipment and conditions and will be complete with standard equipment and all extra equipment as specified. Any reference to a particular brand is simply for specification purposes and is not intended to eliminate any brand of comparable quality, features, and design.

2.1 **Manufacturer and Model Year:** The chassis requirement for this specification is a 2024 or newer.

Does your bid comply EXACTLY as written? Yes _____ No _____

- 2.2 Model Type: The model type required is a Ford E-450 4X2 Dual Wheel cutaway chassis.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.3 Trim Level: Trim level shall be Preferred Equipment Group. Ford code 782A.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.4 Ambulance Prep Package: The chassis shall be equipped with the ambulance prep package, light/convenience group, Exterior upgrade and Interior upgrade packages. Ford codes 47A, 593, 18A, 18C.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.5 GVWR: The gross vehicle weight rating shall be 14,500 lb. Ford code 20F.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.6 Axles and Suspension: The chassis provided shall be a 158.0" wheel-base, Heavy-duty front and rear springs with front stabilizer bar. Shock absorbers shall be heavy-duty. Rear axle is limited slip wide track with a ratio of 4.56:1.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.7 Electrical: The vehicle shall be supplied with dual 12-volt batteries. They shall be standard OEM heavy duty batteries.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.8 Electrical Generating System: The ambulance shall be equipped with OEM 225 amp alternator with internal voltage regulator.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.9 Engine: Engine size shall be a 7.3L V-8 gas engine with heavy-duty engine.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.10 Engine Block Heater: The chassis shall have an OEM engine block heater. This heater shall be wired to the 110V shoreline input on the modular body. Ford code 41H.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.11 Fuel Tank: The vehicle shall be equipped with a 55 gallon aft-axle fuel tank. Ford code 656.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.12 Tires and Rims: The vehicle shall be equipped with (7) LT225/75RX16E Radial black sidewall tires. The OEM manufacturer's standard steel vented rims will be provided. Spare tire, wheel and tire changing tools will also be provided. Ford codes T67, 646.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.13 Transmission: The vehicle to be supplied with a 5-speed automatic transmission. Ford code 44T.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.14 Air Conditioning and Heater: The vehicle shall be equipped with factory air conditioning with heavy-duty cooling package and heavy-duty radiator. The heater shall be the manufacturer's standard.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.15 Glass: The chassis shall be equipped with the chassis manufacturer's standard tinted glass supplied as part of their Air Conditioning Cooling Package. The glass provided shall meet all the requirements of KKK-A-1822 and those of the Federal Motor Vehicle Safety Standards.

- Does your bid comply EXACTLY as written? Yes____ No____
- 2.16 Horns: The OEM manufacturer's dual electric horns shall be provided.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.17 Mirrors: The vehicle's exterior mirrors shall be Ford OEM power trailer tow mirrors with built-in convex mirrors. Ford code 54E.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.18 Radio: The chassis manufacturer's premium AM/FM/CD/Clock Audio-Stereo. Ford code 585.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.19 Seats: The Chassis shall be equipped with medium flint cloth Ford OEM Dual Cloth Captain's Chairs with lap and shoulder belts for driver and passenger. Ford codes M, E, 782A, 18C.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.20 Speed Control and Steering Wheel: Cruise speed control and tilt steering to be supplied. Ford code 525.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.21 Convenience Packages: Chassis shall include convenience packages to include power door locks, power windows, interval windshield wipers, chrome grille/bumper, and composite headlights. Ford codes 782A, 593, 18A, 18C.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.22 Running Boards: Install new highly polished aluminum diamond plate running boards with integrated front splash shields. Running boards are to be properly reinforced to withstand many years of use without bowing or damaging the chassis body or ambulance module.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.23 Wheel liners: Install Phoenix stainless steel wheel covers.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.24 Keyless Entry: Vehicle shall be equipped with a keyless entry/alarm key fob. Ford code 948.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.25 Suspension: Suspension shall be modified as necessary to insure proper loading height.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.26 Floor Covering: Vehicle to have Ford OEM vinyl floor covering.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.27 Mud Flaps: The completed unit is to have custom mud flaps installed.
Does your bid comply EXACTLY as written? Yes____ No____
- 2.28 Undercoating: Professionally apply a petroleum based rustproofing type undercoating to chassis wheel well areas and apply where appropriate to bottom of modular body to soundproof and rustproof these areas.
Does your bid comply EXACTLY as written? Yes____ No____

3.0 REMOVAL AND TRANSFER OF MODULAR AMBULANCE BODY

- 3.1 **Dismount:** Disconnect all sub systems between chassis and module. Lift module to allow full inspection of understructure.
- Does your bid comply EXACTLY as written? Yes___ No___
- 3.2 **Module Inspection:** Inspect all exposed structure and framing for cracks, warpage, excessive wear and corrosion. Any questionable areas shall be treated with dye penetrant material to expose cracks. Professionally repair as needed.
- Does your bid comply EXACTLY as written? Yes___ No___
- 3.3 **Type Changeover:** Transfer the existing AEV module from Type III Chevrolet to a Type III Ford. Modify suspension and bottom of module as necessary to properly accommodate the new chassis.
- Does your bid comply EXACTLY as written? Yes___ No___
- 3.4 **Module Remount:** Mount down module squarely on chassis. Remounter to use Ford OEM rubber isolators, mounting bolts and transfer body per OEM chassis body builder guidelines. The use of aftermarket or substandard components is strictly prohibited.
- Does your bid comply EXACTLY as written? Yes___ No___
- 3.5 **Cab Seal:** Install a non-electrolytic black hard rubber seal between module and cab. Seal interface to eliminate air and water leaks. New stainless steel bolts will be used to fasten seal to cab and module body.
- Does your bid comply EXACTLY as written? Yes___ No___
- 3.6 **Trade-In:** The existing Chevrolet G4500 chassis will be traded-in and the final price shall include this credit allowance.
- Does your bid comply EXACTLY as written? Yes___ No___

4.0 NEW CHASSIS PREPARATION

- 4.1 **Springs:** As necessary, level each side of modular body to insure proper handling and performance.
- Does your bid comply EXACTLY as written? Yes___ No___
- 4.2 **Exhaust Modification:** Extend tailpipe to match module width.
- Does your bid comply EXACTLY as written? Yes___ No___
- 4.3 **Fuel Tank:** Modify gas tank filler necks to fit module. Install new fuel filler hoses and copper plumbing per OEM requirements.
- Does your bid comply EXACTLY as written? Yes___ No___

5.0 EXTERIOR BODY TRIM

- 5.1 **Fuel Fill:** Install new Cast Products fuel filler housing.
- Does your bid comply EXACTLY as written? Yes___ No___
- 5.2 **Diamond Plate:** Install all new aluminum diamond plate complete on module body. This will include rub rails, running boards, and corner stone guards.
- Does your bid comply EXACTLY as written? Yes___ No___

- 5.3 **Rear Bumper:** A new all aluminum rear bumper assembly, with center flip-up Grip-Strut, including new aluminum diamond plate rear kickplate will be installed. This bumper assembly shall be attached to the chassis frame rails only and shall in no way contact or be mounted to the module.

Does your bid comply EXACTLY as written? Yes____No____

- 5.4 **Fenderettes:** New stainless steel fenderettes shall be installed.

Does your bid comply EXACTLY as written? Yes____No____

- 5.5 **Drip Rails:** Install new polished satin finished drip rails above all patient entry doors and all exterior compartments.

Does your bid comply EXACTLY as written? Yes____No____

- 5.6 **Door Hinge:** Polish existing stainless steel door hinges and reinstall.

Does your bid comply EXACTLY as written? Yes____No____

- 5.7 **Weather-strip:** Install new patient entry and compartment door weather-strip with identical OEM type.

Does your bid comply EXACTLY as written? Yes____No____

6.0 MODULE EXTERIOR PAINT FINISH AND LETTERING

- 6.1 **Preparation:** Prior to any paint and bodywork remove all exterior compartment and entry doors, all hardware, hinges, handles and emergency lighting.

Does your bid comply EXACTLY as written? Yes____No____

- 6.2 **Surface Refinished:** In order to provide the highest quality paint surface preparation, and to evaluate the module for evidence of electrolysis, complete and total mechanical removal of all paint, oils, and contaminants from module surface utilizing a dry stripping system is required.

Does your bid comply EXACTLY as written? Yes____No____

- 6.3 **Electrolysis Inspection:** Module will be inspected 100% for evidence of electrolysis. Such areas will be specially treated to prevent any further damage and remove visible damage. NO EXCEPTION.

Does your bid comply EXACTLY as written? Yes____No____

- 6.4 **Damage Repair:** All minor body damage will be repaired in an industry standard professional manner to like new condition. NO EXCEPTION.

Does your bid comply EXACTLY as written? Yes____No____

- 6.5 **Paint Process:** The module body shall be repainted in PPG single-stage paint process. Color of module to be YZ matching the OEM chassis color exactly. NO EXCEPTION.

Does your bid comply EXACTLY as written? Yes____No____

- 6.6 **Vinyl Striping:** Orange reflective stripe shall be installed per TN and federal kkk requirements. This orange stripe shall be installed in a professional manner with no pinstripe needed to cover imperfections.

Does your bid comply EXACTLY as written? Yes____No____

- 6.7 **Lettering:** Provide and install customer specific lettering. This new lettering will be exactly the same as on our currents. Clarity and direction will be given to the successful vendor by this agency regarding exact style and placement. Install kkk, DOT, Ambulance and Star of Life decals per kkk regulations and existing layout. All custom lettering to have a 1/4" white reflective border around the blue letters.

Does your bid comply EXACTLY as written? Yes____No____

7.0 ELECTRICAL SYSTEM:

- 7.1 **Wiring Installation:** All new power wiring provided shall be copper and conform to all the SAE J1292 requirements and shall have GXL or SXL high temperature thermoplastic or better insulation rated to 125 degrees centigrade and conforming to SAE J1127 and J1128

Does your bid comply EXACTLY as written? Yes____No____

- 7.2 **Wiring Labeling:** All wiring shall be permanently color-coded and labeled for easy troubleshooting.

Does your bid comply EXACTLY as written? Yes____No____

- 7.3 **Wiring Loom:** The engine wiring shall be routed in conduit or high temperature looms with a rating of 300 degrees Fahrenheit. All added wiring shall be in protective loom, located in accessible, enclosed and protected locations, and kept at least six inches away from the exhaust system components. Wiring and components shall not terminate in the oxygen storage compartment except for the compartment light and door switch plunger. Wiring necessarily passing through an oxygen compartment shall be routed in metal conduit. All conduits, looms and wiring shall be secured to the body or frame with insulated metal straps in order to prevent sagging and movement which results in chafing, pinching, snagging, or any other damage. All apertures on the vehicle shall be properly grommited for passing wiring and conform to SAE 1292.

Does your bid comply EXACTLY as written? Yes____No____

- 7.4 **Power Disconnect:** A solid-state, high-amperage power disconnect switch shall be installed to control power to the ambulance module and the related components. This disconnect shall be controlled by the chassis ignition circuit and shall in no way control any power to the OEM chassis or related circuits. This disconnect shall also be capable of monitoring amperage and recognize an abnormally high amperage. If a high amperage situation is seen by the power disconnect, it will automatically terminate power to the module to prevent damage to any components. Once the problem has been repaired, this disconnect shall be capable of being reset and returned to service. An adjustable timer shall be incorporated into this disconnect to allow power to continue to the module for a period of time after the chassis ignition is turned off. This timer shall be adjustable from 0-20 minutes and set per the customer's desire. This does not currently exist but shall be incorporated into the design of the new chassis electrical system.

Does your bid comply EXACTLY as written? Yes____No____

- 7.5 **Cab Wiring:** Install new power distribution harness and battery cables.

Does your bid comply EXACTLY as written? Yes____No____

- 7.6 **Engine Block Heater:** Install OEM engine block heater to shoreline.

Does your bid comply EXACTLY as written? Yes____No____

- 7.7 **Front Cab Console:** Install a new contoured floor mount console to house switch panel, radios, and storage area.

Does your bid comply EXACTLY as written? Yes____No____

- 7.8 **Siren Amplifier:** The existing Whelen siren amplifier shall be tested for proper function. If this amplifier is faulty, it shall be brought to the attention of this agency so a decision may be made regarding its replacement.

Does your bid comply EXACTLY as written? Yes____No____

- 7.9 **Back up alarm:** Install a Velvac 97db OSHA backup alarm in a protected location.

Does your bid comply EXACTLY as written? Yes____No____

- 7.10 **Front Switch Panel:** Install a new custom front switch panel complete with analog voltmeter and ammeter.

Does your bid comply EXACTLY as written? Yes____No____

- 7.11 **Power Distribution System:** Check for 100% complete operation. Any compromised components will be replaced. The remounter shall provide a three (3) year / 36,000 mile electrical warranty. NO EXCEPTIONS!

Does your bid comply EXACTLY as written? Yes____No____

- 7.12 **Taillights:** The existing LED stop/tail/turn lights shall be inspected for proper function and reused if found to be free of defects. If any problems are found, it shall be brought to the attention of this agency so a decision may be made regarding the replacement or repair of these items.

Does your bid comply EXACTLY as written? Yes____No____

- 7.13 **ICC Lights:** Install new LED ICC lights as needed.

Does your bid comply EXACTLY as written? Yes____No____

- 7.14 **Scene/Load Lights:** The existing LED scene and load lights shall be inspected for proper function and reused if found to be free of defects. If any problems are found, it shall be brought to the attention of this agency so a decision may be made regarding the replacement or repair of these items.

Does your bid comply EXACTLY as written? Yes____No____

- 7.15 **Intersection Lights:** The existing Whelen LED intersection lights shall be inspected for proper function and reused if found to be free of defects. If any problems are found, it shall be brought to the attention of this agency so a decision may be made regarding the replacement or repair of these items.

Does your bid comply EXACTLY as written? Yes____No____

- 7.16 **Grille Lights:** The existing Whelen LED grille lights with shall be inspected for proper function and reused if found to be free of defects. If any problems are found, it shall be brought to the attention of this agency so a decision may be made regarding the replacement or repair of these items.

Does your bid comply EXACTLY as written? Yes____No____

- 7.17 **Siren Speakers:** Provide and install new Cast Products, # SAD/P 3801-0835-1 siren speakers recessed into the front bumper.

Does your bid comply EXACTLY as written? Yes____No____

- 7.18 **Warning Lights:** The existing Whelen warning lights shall be inspected for proper function and reused if found to be free of defects. If any problems are found, it shall be brought to the attention of this agency so a decision may be made regarding the replacement or repair of these items.

Does your bid comply EXACTLY as written? Yes____No____

- 7.19 **Door Switches:** Install all new patient entry and compartment door switches as needed.

Does your bid comply EXACTLY as written? Yes____No____

- 7.20 **Inverter:** Thoroughly inspect the inverter/charger for proper function. If a problem is found, it must be brought to the attention of this agency and a decision will be made regarding the replacement or repair of this inverter.

Does your bid comply EXACTLY as written? Yes____No____

- 7.21 **Shoreline:** The existing shoreline outlet shall be inspected for proper function and reused if found to be free of defects. If any problems are found, it shall be brought to the attention of this agency so a decision may be made regarding the replacement or repair of these items.

Does your bid comply EXACTLY as written? Yes____No____

- 7.22 **110V Interior outlets:** The existing 110V interior outlets shall be replaced with new outlets which have USB charging ports incorporated into them. These outlets shall operate via the onboard inverter or the exterior shoreline connection.

Does your bid comply EXACTLY as written? Yes____ No____

- 7.23 **Dome Lights:** The existing dome lights shall be inspected for proper function and reused if found to be free of defects. If any problems are found, it shall be brought to the attention of this agency so a decision may be made regarding the replacement or repair of these items.

Does your bid comply EXACTLY as written? Yes____ No____

- 7.24 **Reverse/Rear View Camera:** The existing rear view camera and monitor system shall be transferred to the new chassis. This entire system shall be installed in a professional manner with all cables routed in a waterproof, durable, and secure manner. If a problem is found, it shall be brought to the attention of this agency so a decision may be made regarding replacement(s).

Does your bid comply EXACTLY as written? Yes____ No____

8.0 EXTERIOR COMPARTMENTS

- 8.1 **Weather-stripping:** Replace all damaged exterior rubber door weather-stripping with original or equivalent seal.

Does your bid comply EXACTLY as written? Yes____ No____

- 8.2 **Compartment Door:** Compartment doors are to be closely inspected for condition and repaired as necessary.

- a. Checked and trued for alignment and closure
- b. All hold opens checked for operation and defective closures replaced
- c. Lubricate all door latches and locks for proper operation
- d. Replace any defective latches or locks to insure 100% operation
- e. Any damaged windows replaced with like OEM windows from OEM manufacturer

Does your bid comply EXACTLY as written? Yes____ No____

- 8.3 **Compartment Interiors:** Shall be repaired, refreshed, and cleaned as needed. This shall be done in a professional manner using OEM materials.

Does your bid comply EXACTLY as written? Yes____ No____

PATIENT COMPARTMENT CABINETRY AND FIXTURE:

- 9.1 **Cabinetry:** Cabinets will be checked for sharp edges, defective areas, and professionally repaired including the following items:

- a. Trim out interior to a like new condition
- b. Manually check cabinet mounting bolts and gas cylinders to insure stability, strength, and like new operation
- c. Check all shelves for security and make rattle proof
- d. Check all seatbelts and replace all defective ones
- e. Replace any damaged or missing trim.
- f. Replace any rusty or discolored screws or trim
- g. Provide high quality clean up and sanitation to all cabinetry, compartments, headliner, etc.

Does your bid comply EXACTLY as written? Yes____ No____

- 9.2 **Subfloor:** The existing sub-floor shall be reused.

Does your bid comply EXACTLY as written? Yes____ No____

9.3 Flooring: The existing floor covering shall be reused.

Does your bid comply EXACTLY as written? Yes____ No____

9.4 Interior trim: Trim out interior to new condition.

Does your bid comply EXACTLY as written? Yes____ No____

9.5 Thresholds: Reuse the existing stainless steel side and rear thresholds with new non-skid material applied.

Does your bid comply EXACTLY as written? Yes____ No____

9.6 Upholstery: All upholstery in the patient compartment shall be inspected and replaced as needed. This will include all seats, backrests, head-knockers, trims, etc.

Does your bid comply EXACTLY as written? Yes____ No____

9.7 Cot Mount: The existing cot mounting system shall be reused per the current setup.

Does your bid comply EXACTLY as written? Yes____ No____

9.8 Formica Repair: Replace any damaged Formica as needed. Materials and workmanship shall be of OEM quality matching in both texture and color.

Does your bid comply EXACTLY as written? Yes____ No____

9.9 Safety Net: Inspect Safety net at the head of the squad bench and replace as needed.

Does your bid comply EXACTLY as written? Yes____ No____

11.0 HEATING AND AIR CONDITIONING

10.1 Heat/Cool Unit: Install new Hoseline Heat/Cool unit with wall mounted thermostat. System shall be complete with all-new hoses and fittings.

Does your bid comply EXACTLY as written? Yes____ No____

10.2 Heat/Cool Testing: System shall be extensively tested for peak performance and readings shall be provided to customer. Existing vent openings (patient compartment) shall be replaced as needed.

Does your bid comply EXACTLY as written? Yes____ No____

10.3 Power Vent: Shall be tested and repaired or replaced to meet original equipment performance.

Does your bid comply EXACTLY as written? Yes____ No____

11.0 OXYGEN AND VACUUM SYSTEMS

11.1 Oxygen System: Perform 4-hour nitrogen leak test. Repair any leaks noted and re-test and tag system with certification.

Does your bid comply EXACTLY as written? Yes____ No____

11.2 Oxygen Outlets: Install all new O² outlets and perform leak test and seal as needed.

Does your bid comply EXACTLY as written? Yes____ No____

11.3 Suction System: Test vacuum lines, outlets for proper operation and repair or replace as necessary.

Does your bid comply EXACTLY as written? Yes____ No____

Cumberland County EMS

BID FORM

NAME OF BIDDER: _____

ADDRESS: _____

CITY/STATE/ZIP: _____

TELEPHONE: _____

PERSON TO CONTACT: _____

We herewith submit and bid as follows:

CHASSIS/MAKE: _____

MODEL/TYPE: _____

AMBULANCE BRAND: _____

F.O.B. POINT: _____

DELIVERY – CALENDAR DAYS: _____

TOTAL PRICE COMPLETE, AS SPECIFIED: \$ _____

BID IS: _____ AS PER SPECIFICATION, TAKING NO EXCEPTIONS

_____ TAKING ONLY THOSE SPECIFICATION EXCEPTIONS LISTED, ATTACHED
AND REFERENCED TO PARAGRAPH NUMBER SPECIFIED

It is agreed by the undersigned bidder that the signature and submission of this bid represents the bidder's acceptance of all terms, conditions, and requirements of bid specifications and, if awarded, the bid will represent the agreement between the two parties.

SIGNED: _____ DATE: _____

NAME PRINTED: _____ TITLE: _____

EXCEPTIONS / CLARIFICATIONS

Each bidder may copy this form, as necessary to sufficiently list all exceptions and variations from specifications (Please list as shown, by page, item number, and check if vendor chooses not to supply, or is unavailable, or describe deviation or substitution in detail, if furnished). Purchaser will be the sole judge of proposed substitution equivalency.

VENDOR NAME: _____

BIDDING: _____

EXCEPTION PAGE: _____ OF _____

SPECIFICATION PAGE:	REFERENCE #	NOT AVAILABLE:	EXPLANATION:
---------------------	-------------	----------------	--------------

*** Current through 2017 Regular Session (Chapter 493). ***

Title 12 Public Property, Printing And Contracts
Chapter 12 Iran Divestment Act

Tenn. Code Ann. § 12-12-106 (2017)

12-12-106. List of persons engaging in investment activities in Iran -- Ineligibility to contract with state.

(a) (1) No more than one hundred twenty (120) days after July 1, 2016, the state chief procurement officer shall publish, using credible information freely available to the public, a list of persons it determines engage in investment activities in Iran, as described in § 12-12-105. The list, when completed, shall be posted on the state's web site.

(2) The chief procurement officer shall update the list every one hundred eighty (180) days, using credible, freely available, public information regarding the persons or entities described in subdivision (a)(1).

(3) Before finalizing an initial list or an updated list, as reasonably practicable, the chief procurement officer shall do all of the following before a person is included on the list:

(A) Provide ninety (90) days' written notice of the chief procurement officer's intent to include the person on the list, if the state is reasonably able to provide the written notice by electronic communication or through the U.S. postal service. The notice shall inform the person that inclusion on the list would make the person ineligible to contract with the state. The notice shall specify that the person, if it ceases its engagement in investment activities in Iran, may be removed from the list.

(B) The chief procurement officer shall provide a person with an informal opportunity to comment in writing that it is not engaged in investment activities in Iran. If the person demonstrates to the chief procurement officer that the person is not engaged in investment activities in Iran, the person shall not be included on the list. Nothing in this section requires a contested case hearing as set forth in the Uniform Administrative Procedures Act, compiled in title 4, chapter 5. A person contesting being placed on the list described in subsection (a) shall exhaust all administrative remedies provided in this section prior to the initiation of any judicial review of being placed on such list.

(4) The chief procurement officer shall make every effort to avoid erroneously including a person on the list.

(b) A person that is identified on a list created pursuant to subsection (a) as a person engaging in investment activities in Iran as described in § 12-12-105, is ineligible to contract with the state.

(c) Any contract entered into with a person that is ineligible to contract with the state shall be terminated by the state.

HISTORY: Acts 2016, ch. 817, § 1.

“By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to §12-12-106.”

Company Name: _____

Authorized Representative Signature: _____

Print Name & Title: _____

Date: _____

Tenn. Code Ann. § 12-4-119

Copy Citation

Current through the 2022 Regular Session.

12-4-119. Certification that company not engaged in boycott of Israel.

(a) As used in this section:

(1) "Boycott of Israel" means engaging in refusals to deal, terminating business activities, or other commercial actions that are intended to limit commercial relations with Israel, or companies doing business in or with Israel or authorized by, licensed by, or organized under the laws of the State of Israel to do business, or persons or entities doing business in Israel, when such actions are taken:

(A) In compliance with, or adherence to, calls for a boycott of Israel; or

(B) In a manner that discriminates on the basis of nationality, national origin, religion, or other unreasonable basis, and is not based on a valid business reason;

(2) "Company" means a for-profit or not-for-profit organization, association, corporation, partnership, joint venture, limited partnership, limited liability partnership, limited liability company, or other entity or business association, including all wholly owned subsidiaries, majority-owned subsidiaries, parent companies, or affiliates of those entities or business associations;

(3) "Israel" means the State of Israel and Israeli-controlled territories; and

(4) "Public entity" means this state or any political subdivision thereof, including all boards, commissions, agencies, institutions, authorities, counties, municipalities, and other bodies politic and corporate of this state, created by or in accordance with state law or rule.

(b) A public entity shall not enter into a contract with a company to acquire or dispose of services, supplies, information technology, or construction unless the contract includes a written certification that the company is not currently engaged in, and will not for the duration of the contract engage in, a boycott of Israel.

(c) This section does not apply to a contract with a total potential value of less than two hundred fifty thousand dollars (\$250,000) or to contractors with less than ten (10) employees.

(d) A contract entered into on or after July 1, 2022, that fails to comply with this section is void.

(e) The commissioner of finance and administration or the commissioner's designee may promulgate rules to implement this section so long as the rules are consistent with this section and do not create exceptions to it.

(f) This section does not diminish or infringe upon a right protected under the constitution of this state or the first amendment to the constitution of the United States.

(g) This section must not be construed to conflict with local, state, or federal discrimination laws.

Boycott of Israel. The Contractor certifies that it is not currently engaged in, and will not for the duration of the contract engage in, a boycott of Israel as defined by Tenn. Code Ann. § 12-4-119. This provision shall not apply to contracts with a total value of less than two hundred fifty thousand dollars (\$250,000) or to contractors with less than ten (10) employees.

Company Name:

Authorized Representative Signature:

Print Name & Title:

Date:

CUMBERLAND COUNTY, TENNESSEE

5-21-121. Conflicts of interest.

(a)

(1) The director, purchasing agent, members of the committee, members of the county legislative body, other officials of the county, members of the board of education, members of the highway commission, and employees of the finance department and purchasing department shall not have a direct interest in the purchase of supplies, materials, equipment, or contractual services for the county. As used in this subdivision (a)(1):

(A) "Controlling interest" means sufficient ownership in a business or company to control policy and management, including the ownership or control of the largest number of outstanding shares owned by any single individual in a business or company; and

(B) "Direct interest" means a contract with a person personally or with a business in which the person is the proprietor, a partner, or the person having the controlling interest in the business.

(2) Such persons shall not have an indirect interest in the purchase of supplies, materials, equipment, or contractual services for the county unless the person publicly acknowledges the interest. A person who is not a member of a governing body and who is required to publicly acknowledge an indirect interest must do so by reporting the interest to the office of the county mayor to be compiled into a list that must be maintained as a public record. As used in this subdivision (a)(2), "indirect interest" means a contract in which a person is interested, but not directly so, and includes contracts where the person is directly interested and is the sole supplier of goods or services in the county.

(b) No firm, corporation, partnership, association or individual furnishing any such supplies, materials, equipment or contractual services, shall give or offer nor shall the director or purchasing agent or any assistant or employee accept or receive directly or indirectly from any person, firm, corporation, partnership or association to whom any contract may be awarded, by rebate, gift or otherwise, any money or other things of value whatsoever, or any promise, obligation or contract for future reward or compensation.

Receipt is acknowledged and confirmation of compliance with the statute is hereby affirmed:

Company Name:

Authorized Representative Signature:

Print Name & Title:

Date:
